

## Mountain Glacier Drinking Water 2021

Contaminant	Method	LRL	Units	Level Detected
<b>Inorganic Analytes - Metals</b>				
Aluminum	200.7	0.2	mg/L	ND
Antimony	200.8	0.006	mg/L	ND
Arsenic	200.8	0.010	mg/L	ND
Barium	200.7	2	mg/L	ND
Beryllium	200.7	0.004	mg/L	ND
Boron	200.7		mg/L	ND
Cadmium	200.7	0.005	mg/L	ND
Calcium	200.7		mg/L	9.0
Chromium	200.7	0.100	mg/L	ND
Copper	200.7	1.0	mg/L	ND
Iron	200.7	0.3	mg/L	ND
Lead	200.8	0.015	mg/L	ND
Magnesium	200.7		mg/L	3.10
Manganese	200.7	0.05	mg/L	ND
Mercury	200.8	0.002	mg/L	ND
Nickel	200.7		mg/L	ND
Potassium	200.7		mg/L	ND
Selenium	200.8	0.05	mg/L	ND
Silica	200.7		mg/L	ND
Silver	200.7	0.10	mg/L	ND
Sodium	200.7		mg/L	7
Thallium	200.8	0.002	mg/L	ND
Uranium	200.8	0.030	mg/L	ND
Zinc	200.7	5.000	mg/L	ND
<b>Physical Factors</b>				
Alkalinity	2320B		mg/L	ND
Apparent Color	2120B	15	cu	ND
Foaming Agents	5540C	0.5	mg/L	ND
Hardness	2340C		mg/L	34
Odor Threshold	2150B	3	ton	ND
pH	150.1	6.5-8.5	pH Units	6.7
pH Temperature	150.1		Deg,C	24
Total Dissolved Solids	2540C	500	mg/L	67
Turbidity	2130B		NTU	ND
<b>Inorganic Analytes - Other</b>				
Bromate	300.1	0.010	mg/L	ND
Bromide	300.1		mg/L	ND
Chloramine as Cl2	4500Cl-G 4.0		mg/L	ND
Chloride	300.0	250	mg/L	15.0
Chlorine as Cl2	4500Cl-G 4.0		mg/L	ND
Chlorine Dioxide as ClO2	4500ClO2D	0.8	mg/L	ND
Fluoride	300.0	4.0	mg/L	ND
Nitrate as N	300.0	10	mg/L	ND
Nitrite as N	300.0		mg/L	ND
Ortho Phosphate	300.0		mg/L	ND
Sulfate	300.0	250	mg/L	11.0